

Thursday, May 20, 2010 1:13:52 PM

Page 1

**Accept**

**Setup Start**

**Stop**

**Cust Item ID:**

**Customer:**

**Reference:**

**Approvals:**

### Process Plan:

Date: 10-5-21 Tooling:

**Date:**

Run Start

**QC:**

**Date:** \_\_\_\_\_ **SPC (Y/N):** \_\_\_\_\_

Date:

**Stop**

**Insp.  
Stamp**

Revision Nbr

D4018

B

100

0.00

Large Fab

## Memo

0.00

## Large Fab

1- Cut tube as per dwg D4018

2- debur and remove identification markings

110

QC5- Inspect part completeness to step on W/O

0.00

QC

## Memo

0.00

## Quality Control

120

Identify as per dwg & Stock Location:

0.00

### Packaging

## Memo

0.00

### Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 58977**

Thursday, May 20, 2010 1:13:52 PM



Page 2

Item ID: D4018-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Rib

Start Date: 5/20/2010 Start Qty: 18.00



Cust Item ID:

Required Date: 5/31/2010 Req'd Qty: 18.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

130

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/05/25

BS 10-5-21

(15)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Thursday, May 20, 2010 1:13:57 PM

Page 1

Work Order ID: 58977

Parent Item: D4018-5

Parent Item Name: Rib

Comments: IPP RevA: new issue DD 09.11.26 verified by:EC  
per dwg revA 10.03.15 verified by:EC  
RevB DD 10.04.16 verified by:EC

IPP Rev:B as

IPP Rev:C as per dwg

Start Date: 5/20/2010

Required Date: 5/31/2010

Start Qty: 18.00

Required Qty: 18.00

Component Item ID/	Replacement	Mfg/	Bin	Primary	Last	Route	Unit of	Qty on	Qty per Kit	Qty	Date	Status
M304TS0.500W.049		Purchased	No			100	f	18.1237	0.5558			



Square Tubing



SAD

10-05-20

Location	Loc Qty	Loc Code
MAT	13.6499	
114426	13.6499	
MAT018	4.4738	
114004	0.5	
114161	3.9738	

M 114729

10.5309

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4018-041	SHORT BASKET LID ASSY (350)
1	1	D4018-101	TUBULAR ASSY, BASKET LID (350)
2	2	D2581	MOUNTING BRACKET
3	1	D2728-3	DART LOGO LABEL
4	3	D4016-3	HINGE HALF, LID
5	1	D4020-7	MESH
6	1	D4021-3	DATA PLATE
7	1	D4086-232	PLACARD, MAX LOAD



**D4018-041 SHORT BASKET LID ASSY (350)**  
(MESH SHOWN LOCALLY FOR CLARITY)

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 58977

*P/10-5-20*

**RELEASED**  
2010-03-31

B	BOM: INSERTED QTY 1 D2728-3 AS ITEM 3 & QTY 1 D4086-232 PLACARD AS ITEM 7. ITEMS RENUMBERED AS REQ. SHEET 2, NOTES: PAINT SPEC ADDED & NOTE 7 & 8 REVISED. (B4-2) FRONT VIEW ADDED, WELDING SYMBOLS REVISED. DETAIL VIEW E ADDED (C4-2)&(C82). SIDE VIEWS ADDED (C1-4)&(D1-4).		JPH	10.03.25
A	NEW ISSUE		JPH	10.03.04
REV.	DESCRIPTION		BY	DATE
DESIGN	AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA DRAWING NO. <b>D4018</b> REV. B SHEET 1 OF 4 TITLE <b>SHORT BASKET LID ASSY (350)</b> SCALE NTS DATE <b>10.03.25</b> <small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		
DRAWN	JPH			
CHECKED				
MFG. APPR.				
APPROVED				
DE APPR.				

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




W/O 58917



**RELEASED**  
2010-03-31

**D4018-041 SHORT BASKET LID ASSY (350)**  
(MESH SHOWN LOCALLY FOR CLARITY)



- NOTES:**
- 1) MATERIAL: N/A
  - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3  
APPLY BLACK ANTI-SKID PAINT TO OUTSIDE SURFACE OF MESH PER DART QSI 005 4.4
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 14.5 lbs APPROX
  - 8) MASK HOLES PRIOR TO FINISHING
  - 9) WELD PER DART QSI 004

**DETAIL D D1-2**

DESIGN	AJS	<b>DART AEROSPACE LTD</b>	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4018	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		SHORT BASKET LID ASSY (350)	NTS
DATE	10.03.25	<small>COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM	QTY -101	P/N	DESCRIPTION
	X	D4018-101	TUBULAR ASSY, BASKET LID (350)
1	2	D4018-1	RIB
2	2	D4018-3	RIB
3	6	D4018-5	RIB
4	1	D4035-041	BASKET LID RIB ASSY, FWD
5	1	D4035-043	BASKET LID RIB ASSY, AFT





8 D4018-101 TUBULAR ASSY, BASKET LID (350)

RELEASED  
2010-03-31

*W/O 5877*

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 9.06 lbs
- 8) TOLERANCE FOR XX.XX DIMENSIONS  $\pm 0.06$  FOR D4018-101
- 9) WELD PER DART QSI 004

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4018	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		SHORT BASKET LID ASSY (350)	NTS
DATE	10.03.25	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries


8 7 6 5 4 3 2 1



**D4018-1 RIB**



**D4018-3 RIB**



**D4018-5 RIB**

**RELEASED**  
2010-03-31



wb 38977

**NOTES:**

1) MATERIAL -1: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.049 WALL  
REF DART SPEC. M304TS0.750W.049

-3 & -5: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.50 X 0.50 X 0.049 WALL  
REF DART SPEC. M304TS0.500W.049

- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE ASSEMBLED WEIGHTS

DESIGN	AJS	<b>DART AEROSPACE LTD</b>	
DRAWN	JFH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4018	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		SHORT BASKET LID ASSY (350)	NTS
DATE	10.03.25	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries